





The play components identified on this p are IPEMA certified. (Unless model numt is preceded with *) The use and layout these components conform to the requirements of ASTM F1487. To verifiproduct certification, visit was income or

THIS PLAY AREA & PLAY EQUIPMENT IS DESIGNED FOR AGES 2-5 YEARS UNLESS OTHERWISE NOTED ON PLAN.

IT IS THE MANUFACTURERS OPINION THAT THIS PLAY AREA DOES CONFORM TO THE A.DA. ACCESSIBILITY STANDARDS, ASSUMING AN ACCESSIBLE PROTECTIVE SURFACING IS PROVIDED, AS INDICATED, OR WITHIN THE ENTIRE USE ZONE.


THIS CONCEPTUAL PLAN WAS BASED ON INFORMATION AVAILABLE TO US. PRIOR TO CONSTRUCTION, DETAILED SITE INFORMATION INCLUDING SITE DIMENSIONS, TOPOGRAPHY EMISTING UTILITIES, SOLUTIONS, SHOU DRESS OF STRAND, EVALUATION, AND DRAINAGE OF THE STRAND, DESIGNATION, AND LOCATION OF ALL EMISTING UTILITIES, EQUIPMENT, AND SITE FURNISHINGS PRIOR TO GORDERING, SLIDES SHOULD NOT FACE THE HOT AFTERNOON SUN.

CHOOSE A PROTECTIVE SURFACING MATERIAL THAT HAS A CRITICAL HEIGHT VALUE TO MEET THE MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF. ASTM F1487 STANDARD CONSUMER SAFETY PERFORMANCE SPECIFICATION FOR PLAYGROUND EQUIPMENT FOR PUBLIC USE, SECTION 8 CURRENT REVISION). THE SUBSURFACE MUST BE WELL DRAINED. IF THE SOIL DOES NOT DRAIN NATURALLY IT MUST BE TILED OR SLOPED 1/8" TO 1/4" PER FOOT TO A STORM SEWER OR A "FRENCH DRAIN".

DESIGNED BY:

COPYRIGHT: 2/21/19 LANDSCAPE STRUCTURES, INC. 601 7th STREET SOUTH – P.O. BOX 198 DEMON, MINNESOTA 55328 PH: 1–800–328–0035 FAX: 1–763–972–6091

Date	Previous Drawing #	Initial



TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS 5 REQUIRED

TOTAL ELEVATED PLAY COMPONENTS 10

TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP

TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER 6

TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN 9



0 <u>REQUIRED</u>

REQUIRED

REQUIRED

Design 6099 Landscape Structures system type: Smart Play

> drawing #: 6099



